

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://condor.nt-rt.ru> || crv@nt-rt.ru



Pump control CPS-B new generation

Pump control CPS-B

... high quality & compact pump control



pump control CPS-B1 and CPS B2 - new generation

Compact pump controls CPS-B1 and -B2 of the latest generation for more system transparency. They are designed for the automatic control of one or two pumps (max. 4 kW/9A)

This pump control can be ideally used for pumping systems **in the field of domestic waste and sewage water as well as rain water.**
For use in municipal, industrial, commercial and domestic applications.

With **high quality basic equipment in standard version**
(main circuit breaker, manual motor starter, new QVGA color touch screen...).

Advantages

- compact housing (w265xh270xd145mm) - especially suitable for the installation in exterior columns
- high quality basic equipment in standard execution (main circuit breaker, manual motor starter, Manual-0-Automatic function, **new QVGA color touch screen**, **USB interface**, connection systems different level monitoring...)
- free-selectable level monitoring
- all control functions are performed via the QVGA touch screen
- suitable for the operation of pumps and sensors in explosive areas (ATEX) **
- for the use of 230V or 400V AC pumps
- telecontrol system with Ethernet-Modul or GSM-Modem (optional)
- pressure sensor (measuring range 0-2 meters w.c.) can be added

Pump control CPS-B new generation

Technical details

Adjustable control parameter

- alarm relay, programmable function
- ATEX-Mode
- date / time
- phase sequence monitoring and phase drop monitoring
- turn-on delay
- on / off switch levels
- integrated buzzer (can be switched on and off)
- integrated time switch for compressor function
- short pump start against locking
- load changeover time for pumps (CPS-B2)
- max. pump operating time
- minimum pressure monitoring
- password protection
- pump follow-up time
- compressor or agitator activation
- installed languages: DE, EN, FR, NL, IT (other languages on request)
- power monitoring (electronical)
- power monitoring (thermal-magnetic)
- delay time / high water alarm
- delay time between pump 1 and pump 2 (CPS-B2)
- maintenance display
- periodic emptying

Options

- battery 6AA NiMH 1,2V (power failure alarm)
- execution - voltage 230V (2,2kW/9A)
- installation in exterior columns
 - + panel heater, + flashing light, + small compressor
- Ethernet module or GSM Modem retrofittable in the control unit
- pressure sensor (measuring range 0-2 meters w.c.)
- sep. housing for PTC relays, RCD, etc.
- cylinder lock for the cover
- zener barrier (1 or 2 pieces integrable)

Operation and Display

- ATEX-mode
- menu navigation via backlit QVGA color touch screen:
- graphical display and plain text display
- graphical display - for level states
- graphical display - for operating states (pumps)
- graphical display - operational fault
- phase sequence monitoring and phase drop monitoring
- error list (20 fields saved retentively)
- Manual-OFF-Automatic - mode selection
- main circuit breaker
- internal buzzer
- transparent cover (locks in the open status)
- motor current indication
- manual motor starter (operable from outside)
- date / time adjustable
- maintenance display

Available connections

- 1 pump (CPS-B1) or 2 pumps (CPS-B2)
- thermal contact (zero voltage safe)
 - ATEX, standard, ON / OFF function can be selected
- 2 x 230V / 2A output for possible small compressor
- 3 x potential-free alarm relays (3x change-over contact)
- float switch terminal for emergency operation function
- USB interface for software update
- connecting terminal
- terminal blocks for network supply
- plug-in terminals for level measurement
- pump connection - on the contactor

Level monitoring

- 1, 2 (CPS-B1) or 3 float switches (CPS-B2)
- impact pressure sensor (measuring 0-2mWs) can be retrofitted
- 4-20 mA analog input e.g. for level sensor
- separate high water float switch

Technical Details CPS-B

Housing	ABS-plastic housing
Dimensions	w 265 x h 270 x d 145 mm, incl. accessories
Cable glands	3x M25 x 1,5 5x M16 x 1,5 1x M12 x 1,5
Protection class	IP54
Max. protection on site	25A
Max. power of the pump	4kW
Number of pumps	1 pump (-B1); 2 pumps (-B2)
Control voltage	230V AC / 24 V DC

Technical Details CPS-B

operating voltage	400V / 230 AC 50/60 Hz
temperature range	0...+50°C
potential-free alarm relay	5A (2A inductive)
storage temperature	-20 + 70°C

* Photo shows optional accessories. Please refer to the back!

** The rules of the DIN EN 60079 to be observed! The pump control is only in provided for the „safe area“.

***Technical changes and mistakes reserve.

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Новаябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://condor.nt-rt.ru> || crv@nt-rt.ru